



DUO-FAST®

DFSN100 / DFSN90 | Operating Instructions



Rel No	Part No	Description	Rel No	Part No	Description
1	613100	FLAT HD BOLT		613157	NOSE ASSEMBLY (DFSN90)
2	613002	FRONT BRACKET	49	613135	SPIRAL SPRING ASSEMBLY
3	613003	EXHAUST COVER	50	613136	PUSHER
4	613004	EXHAUST FILTER	51	613060	SPRING
5	613005	EXHAUST FILTER PLATE	52	613137	PUSHER STOPPER
6	623149	HEX.SOC.HD.BOLT M6x25 DIN912	53	613138	ROLLED PIN
7	613101	CAP (DFSN 100)	54	613139	ROLLED PIN
	613151	CAP (DFSN90)	55	613140	PUSHER GUIDE
8	613102	SPRING	56	613141	PUSHER ASSEMBLY
9	613103	O-RING	57	613142	RUBBER PAD
10	613104	PISTON HEADVALVE	58	613143	NAIL GUIDE LINER
11	613105	O-RING	59	613144	MAGAZINE DFSN 100)
12	613106	SEAL		613158	MAGAZINE (DFSN90)
13	613107	PLAINWASHER	60	613145	NAIL STOPPER
14	613108	PISTON STOPPER	61	613071	UM HD BOLT
15	613109	CAP ASSEMBLY (DFSN I 00)	62	613146	MAGAZINE COVER (DFSN 100)
	613152	CAP ASSEMBLY (DFSN90)		613159	MAGAZINE COVER (DFSN90)
16	613110	O-RING	63	613147	LOCK NUT
17	613111	DRIVER BLADE ASSEMBLY (DFSN 100)	64	613148	UM HD BOLT
	613153	DRIVER BLADEASSEMBLY (DFSN90)	65	613149	FLATWASHER
18	613112	CYLINDER (DFSN I 00)	66	613150	MAGAZINE ASSEMBLY (DFSN I 00)
	613154	CYLINDER (DFSN90)		613160	MAGAZINE ASSEMBLY (DFSN90)
19	613113	O-RING			
20	613114	CYLINDER RING			
21	613115	COLLAR			Bump fire kit
22	613116	O-RING			
23	613117	GASKET			
24	613118	BODY			
25	613119	UPPER BUMPER			
26	613120	BOTTOM BUMPER			
27	613121	O-RING			
28	613030	COVER			
29	613029	O-RING			
30	613028	RUBBER GRIP			
31	613122	ROLLED PIN			
32	613031	ROLLED PIN			
33	613053	SPRING			
34	613123	TRIGGER ASSEMBLY			
35	613124	SWITCH ASSEMBLY			
36	61 3055	TRIP GUIDE			
37	61 3056	SPRING			
38	613058	CONTACT TRIP BLOCK			
39	613125	NOSE (DFSN 100)			
	613155	NOSE (DFSN90)			
40	613126	HEX SOC HD BOLT			
41	613127	PLATE MOUNT			
42	613128	SPRING			
43	613129	UPPER SAFETY LEVER			
44	613130	SAFETY LEVER (DFSN I 00)			
	613156	SAFETY LEVER (DFSN90)			
45	613131	HEX SOC HD BOLT			
46	613132	FLATWASHER			
47	613133	NOSE COVER			
48	613134	NOSE ASSEMBLY (DFSN I 00)			





D	F	UK	Dim	DFSN90	DFSN100
Spezifikat	Spécification des	Fastener	Ø	2.8 - 3.4mm	2.8 - 4.1mm
Befestigungsmittel	moyens de fixation	Specification	L	50 - 90mm	50 - 100mm
Geräte gewicht	Poids	Tool Weight		3.5kg	3.65kg
Abmessung	Spécification	Dimensions	A	343mm	360mm
			B	115mm	115mm
			C	521mm	515mm
Luftverbrauch	Consommation d'air	Air Consumption		2.9 litre @ 6 bar	
Betriebsdruck	Pression d'opération	Operating Pressure	Min - Max	4.9 - 8.3	4.9 - 8.3
Lade kapazität	Capacité du magasin	Load Capacity		66 nails	66 nails
Schallpegel	Valeurs du bruit	Noise Level	LWA. Is	102 dB (A)	103 dB (A)
			LpA. 1 s	92 dB (A)	94 dB (A)
			LpA Islm	89 dB (A)	90 dB (A)
Vibrations-werte	Valeurs de vibration	Vibration Value	a hwz	3.75m/s	4.08m/s
Normative Dokumente / Documents Normatifs / Normative Documents EN 12549: 1999 / 2, EN ISO 8662 - 11: 1999 \...					

ITW Paslode - van Heemskerckweg 5, 5928 RB Venlo, The Netherlands

Erik Mul - Design