




ART. SBE

| CODICE | 4 | 1 | N | F | L | Н | * | |
|----------|---------|-------|----|----|----|----|----|-----|
| SBE18 | 1/8" | BSP | 8 | 6 | 15 | 29 | 13 | 50 |
| SBE14 | 1/4" | BSP | 8 | 7 | 17 | 32 | 16 | 50 |
| SBE38 | 3/8" | BSP | 7 | 8 | 25 | 40 | 19 | 25 |
| SBE12 | 1/2" | BSP | 9 | 9 | 27 | 45 | 24 | 25 |
| SBE34 | 3/4" | BSP | 10 | 9 | 37 | 56 | 30 | 5 |
| SBE01 | 1" | BSP | 10 | 11 | 45 | 66 | 36 | 5 |
| SBE5MA | М | 5" | 4 | 4 | 9 | 17 | 8 | 100 |
| SBE18FEM | 1/8" FE | M BSP | 8 | 7 | 15 | 30 | 13 | 50 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |






ART. SAC

| CODICE | A | | N | F | L | Н | * | |
|----------|---------|-------|----|----|----|----|----|-----|
| SAC18 | 1/8" | BSP | 8 | 6 | 30 | 44 | 13 | 100 |
| SAC14 | 1/4" | BSP | 8 | 7 | 35 | 50 | 16 | 50 |
| SAC38 | 3/8" | BSP | 7 | 8 | 39 | 54 | 19 | 25 |
| SAC12 | 1/2" | BSP | 9 | 9 | 49 | 67 | 24 | 25 |
| SAC34 | 3/4" | BSP | 10 | 9 | 46 | 65 | 30 | 5 |
| SAC01 | 1" | BSP | 10 | 11 | 56 | 77 | 36 | 5 |
| SAC5MA | N | 15" | 4 | 4 | 18 | 26 | 8 | 100 |
| SAC18FEM | 1/8" FE | M BSP | 8 | 7 | 30 | 45 | 13 | 50 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |






ART. SBT

| CODICE | A | 1 | E | F | L | Н | N | |
|--------|----------|-----|----|----|----|------|-----|-----|
| SBT18 | 1/8" | BSP | 12 | 6 | 15 | 25 | 4 | 100 |
| SBT14 | 1/4" | BSP | 16 | 7 | 20 | 30 | 3 | 50 |
| SBT38 | 3/8" | BSP | 19 | 8 | 27 | 38 | 3 | 25 |
| SBT12 | 1/2" | BSP | 23 | 10 | 28 | 42 | 4 | 25 |
| SBT34 | 3/4" | BSP | 29 | 10 | 38 | 52 | 4 | 5 |
| SBT01 | 1" | BSP | 36 | 12 | 46 | 65,5 | 7,5 | 5 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |



ART. SBTE-SBTT


| CODICE | A | Е | F | L | Н | N | 4 | | |
|--|----------|----|----|----|------|-----|----|-----|--|
| SBTT18 | 1/8" BSP | 12 | 6 | 15 | 25 | 4 | 6 | 100 | |
| SBTT14 | 1/4" BSP | 16 | 7 | 20 | 30 | 3 | 7 | 50 | |
| SBTT38 | 3/8" BSP | 19 | 8 | 27 | 38 | 3 | 10 | 25 | |
| SBTT12 | 1/2" BSP | 23 | 10 | 28 | 42 | 4 | 13 | 25 | |
| SBTT34 | 3/4" BSP | 29 | 10 | 38 | 52 | 4 | 17 | 10 | |
| SBTT01 | 1" BSP | 36 | 12 | 46 | 65,5 | 7,5 | 22 | 10 | |
| SBTE18 | 1/8" BSP | 12 | 6 | 15 | 25 | 4 | 6 | 100 | |
| SBTE14 | 1/4" BSP | 16 | 7 | 20 | 30 | 3 | 7 | 50 | |
| SBTE38 | 3/8" BSP | 19 | 8 | 27 | 38 | 3 | 10 | 25 | |
| SBTE12 | 1/2" BSP | 23 | 10 | 28 | 42 | 4 | 13 | 25 | |
| SBTE34 | 3/4" BSP | 29 | 10 | 38 | 52 | 4 | 17 | 5 | |
| SBTE01 | 1" BSP | 36 | 12 | 46 | 65,5 | 7,5 | 22 | 5 | |
| SBTE = Senza taglio SBTE = Without screwdriver | | | | | | | | | |





ART. SPL Dinamico Dynamic


| CODICE | F | 1 | В | F | L | Н | |
|--------|------|-----|------|----|----|-----|-----|
| SPL18 | 1/8" | BSP | 15 | 8 | 27 | 35 | 100 |
| SPL14 | 1/4" | BSP | 19,5 | 9 | 36 | 45 | 100 |
| SPL38 | 3/8" | BSP | 24,5 | 11 | 47 | 58 | 50 |
| SPL12 | 1/2" | BSP | 24,5 | 11 | 47 | 58 | 50 |
| SPL34 | 3/4" | BSP | 48 | 18 | 96 | 114 | 10 |
| SPL01 | 1" | BSP | 48 | 18 | 96 | 114 | 10 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |





ART. SPLF Feltro - Statico Felt - Static


| CODICE | - | 1 | В | С | D | E | 4 | |
|--------|------|-----|----|----|----|----|----|-----|
| SPLF18 | 1/8" | BSP | 28 | 16 | 6 | 34 | 10 | 100 |
| SPLF14 | 1/4" | BSP | 36 | 19 | 8 | 44 | 12 | 100 |
| SPLF38 | 3/8" | BSP | 46 | 24 | 10 | 56 | 17 | 50 |
| SPLF12 | 1/2" | BSP | 46 | 24 | 10 | 56 | 17 | 50 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |



















ART. SVE

| CODICE | A | min | B max | С | |
|--------|----------|-----|-------|----|----|
| SVE18 | 1/8" BSP | 20 | 22 | 6 | 50 |
| SVE14 | 1/4" BSP | 22 | 24 | 8 | 50 |
| SVE38 | 3/8" BSP | 25 | 28 | 10 | 25 |
| SVE12 | 1/2" BSP | 26 | 29 | 11 | 25 |
| SVE34 | 3/4" BSP | 32 | 37 | 12 | 5 |
| SVE01 | 1" BSP | 32 | 37 | 12 | 5 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

ART. RBP

| CODICE | A | min E | max | С | 4 | | |
|--------|----------|-------|-----|------|----|--|----|
| RBP18 | 1/8" BSP | 14 | 19 | 6 | 12 | | 50 |
| RBP14 | 1/4" BSP | 17 | 22 | 8 | 15 | | 50 |
| RBP38 | 3/8" BSP | 18 | 24 | 9 | 19 | | 25 |
| RBP12 | 1/2" BSP | 18 | 24 | 10,5 | 22 | | 10 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |


ART. SM

| CODICE | A | | 4 | L | | |
|---------|----------|--|----|----|--|----|
| SM 1018 | 1/8" BSP | | 14 | 30 | | 50 |
| SM 2014 | 1/4" BSP | | 19 | 36 | | 25 |
| SM 3038 | 3/8" BSP | | 27 | 45 | | 25 |
| SM 4012 | 1/2" BSP | | 30 | 50 | | 25 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



ART. SEB


| CODICE | A | С | 4 | E | F | Н | |
|--------|----------|------|----|-----|-----|------|-----|
| SEB18 | 1/8" BSP | 12,6 | 12 | 4,5 | 3,8 | 20,5 | 100 |
| SEB14 | 1/4" BSP | 16 | 15 | 6 | 4,5 | 26,5 | 50 |
| SEB38 | 3/8" BSP | 20 | 19 | 7 | 5,4 | 33,9 | 25 |
| SEB12 | 1/2" BSP | 24,5 | 23 | 8 | 6 | 40,5 | 25 |
| SEB34 | 3/4" BSP | 32 | 30 | 9 | 7,5 | 51,5 | 5 |
| SEB01 | 1" BSP | 38,5 | 36 | 11 | 9 | 66 | 5 |
| SEB5MA | M5 | 8 | 7 | 5,5 | 3,5 | 17 | 100 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |





ART. SC


| CODICE | Α | Е | F | L | Н | |
|--------|----------|----|-----|-----|----|-----|
| SC18 | 1/8" BSP | 12 | 6 | 15 | 21 | 100 |
| SC14 | 1/4" BSP | 15 | 6 | 19 | 25 | 50 |
| SC38 | 3/8" BSP | 19 | 8 | 28 | 36 | 25 |
| SC12 | 1/2" BSP | 23 | 10 | 33 | 43 | 25 |
| SC34 | 3/4" BSP | 29 | 13 | 40 | 53 | 5 |
| SC01 | 1" BSP | 36 | 15 | 48 | 63 | 5 |
| SC5MA | M5" | 6 | 4,5 | 8,5 | 13 | 100 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |





ART. SET


| | | | 1 | | 1 | | |
|--------|----------|------|-----|----|------|----|-----|
| CODICE | Α | E | F | L | Н | 8 | |
| SET18 | 1/8" BSP | 11,5 | 4,5 | 13 | 17,5 | 8 | 100 |
| SET14 | 1/4" BSP | 15 | 6 | 18 | 24 | 10 | 50 |
| SET38 | 3/8" BSP | 19 | 7 | 24 | 31 | 13 | 25 |
| SET12 | 1/2" BSP | 23 | 8 | 29 | 37 | 14 | 25 |
| SET34 | 3/4" BSP | 30 | 9 | 41 | 50 | 19 | 5 |
| SET01 | 1" BSP | 37 | 11 | 51 | 62 | 24 | 5 |
| SET5MA | M5" | 8,5 | 5 | 15 | 20 | 27 | 100 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |











ART. SCQ

| CODICE | Α | Е | F | L | Н | 4 | |
|--------|----------|----|----|----|----|----|-----|
| SCQ18 | 1/8" BSP | 12 | 6 | 15 | 21 | 7 | 100 |
| SCQ14 | 1/4" BSP | 15 | 6 | 19 | 25 | 9 | 50 |
| SCQ38 | 3/8" BSP | 19 | 8 | 28 | 38 | 10 | 25 |
| SCQ12 | 1/2" BSP | 23 | 10 | 33 | 43 | 14 | 25 |
| SCQ34 | 3/4" BSP | 29 | 13 | 40 | 53 | 17 | 5 |
| SCQ01 | 1" BSP | 36 | 15 | 48 | 63 | 23 | 5 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |






ART. STT

| CODICE | Α | В | F | L | Н | С | |
|--------|----------|----|----|----|----|-----|-----|
| STT18 | 1/8" BSP | 10 | 6 | 6 | 12 | 1,5 | 100 |
| STT14 | 1/4" BSP | 13 | 6 | 6 | 12 | 1,5 | 50 |
| STT38 | 3/8" BSP | 17 | 7 | 8 | 15 | 1,5 | 25 |
| STT12 | 1/2" BSP | 21 | 10 | 8 | 18 | 1,5 | 25 |
| STT34 | 3/4" BSP | 26 | 13 | 9 | 22 | 1,5 | 5 |
| STT 01 | 1" BSP | 33 | 14 | 11 | 25 | 1,5 | 5 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |






ART. SFT

| CODICE | Α | F | Н | ØE | |
|----------|--------------|----|----|----|-----|
| SFT18 | 1/8" BSP | 6 | 13 | 12 | 100 |
| SFT14 | 1/4" BSP | 7 | 14 | 16 | 50 |
| SFT38 | 3/8" BSP | 8 | 18 | 19 | 25 |
| SFT12 | 1/2" BSP | 10 | 19 | 23 | 25 |
| SFT34 | 3/4" BSP | 10 | 22 | 29 | 5 |
| SFT01 | 1" BSP | 12 | 23 | 36 | 5 |
| SFT5MA | M5" | 5 | 12 | 11 | 100 |
| SFT18FEM | 1/8" FEM BSP | 7 | 14 | 12 | 100 |
| | | | | | |
| | | | | | |
| | | | | | |



ART. SFE

| CODICE | Α | F | Н | 4 | |
|----------|--------------|----|----|----|-----|
| SFE18 | 1/8" BSP | 6 | 15 | 13 | 100 |
| SFE14 | 1/4" BSP | 7 | 18 | 16 | 50 |
| SFE38 | 3/8" BSP | 8 | 20 | 19 | 50 |
| SFE12 | 1/2" BSP | 10 | 22 | 24 | 25 |
| SFE34 | 3/4" BSP | 10 | 26 | 30 | 25 |
| SFE01 | 1" BSP | 12 | 28 | 36 | 10 |
| SFE5MA | M5" | 4 | 8 | 8 | 100 |
| SFE18FEM | 1/8" FEM BSP | 7 | 18 | 14 | 50 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |





ART. SFEX

| CODICE | Α | F | Н | 6 | |
|--------|----------|----|----|----|----|
| SFEX18 | 1/8" BSP | 6 | 15 | 13 | 50 |
| SFEX14 | 1/4" BSP | 7 | 18 | 16 | 50 |
| SFEX38 | 3/8" BSP | 8 | 20 | 19 | 50 |
| SFEX12 | 1/2" BSP | 10 | 22 | 24 | 25 |
| SFEX34 | 3/4" BSP | 10 | 26 | 30 | 5 |
| SFEX01 | 1" BSP | 12 | 28 | 36 | 5 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |






ART. SEP

| CODICE | Α | В | 4 | F | Н | |
|----------|--------------|----|----|----|----|-----|
| SEP18 | 1/8" BSP | 11 | 13 | 6 | 14 | 100 |
| SEP14 | 1/4" BSP | 14 | 16 | 7 | 17 | 50 |
| SEP38 | 3/8" BSP | 17 | 19 | 8 | 18 | 25 |
| SEP12 | 1/2" BSP | 22 | 24 | 10 | 20 | 25 |
| SEP34 | 3/4" BSP | 28 | 30 | 10 | 23 | 5 |
| SEP01 | 1" BSP | 35 | 36 | 12 | 25 | 5 |
| SEP5MA | M5" | 7 | 8 | 5 | 12 | 100 |
| SEP18FEM | 1/8" FEM BSP | 11 | 14 | 7 | 17 | 50 |
| | | | | | | |
| | | | | | | |
| | | | | | | |










ART. SBP

| CODICE | Α | В | Е | F | Н | |
|----------|--------------|----|----|----|------|-----|
| SBP18 | 1/8" BSP | 11 | 12 | 6 | 12 | 100 |
| SBP14 | 1/4" BSP | 14 | 16 | 7 | 13 | 50 |
| SBP38 | 3/8" BSP | 17 | 19 | 8 | 17 | 25 |
| SBP12 | 1/2" BSP | 22 | 23 | 10 | 18 | 25 |
| SBP34 | 3/4" BSP | 28 | 29 | 10 | 20 | 5 |
| SBP01 | 1" BSP | 35 | 36 | 12 | 21 | 5 |
| SBP5MA | M5" | 11 | 12 | 5 | 11,5 | 100 |
| SBP18FEM | 1/8" FEM BSP | 11 | 12 | 7 | 13 | 50 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |





ART. SP

| CODICE | Α | | В | Н | |
|--------|----------|--|----|----|-----|
| SP18 | 1/8" BSP | | 6 | 5 | 100 |
| SP14 | 1/4" BSP | | 8 | 6 | 50 |
| SP38 | 3/8" BSP | | 10 | 7 | 25 |
| SP12 | 1/2" BSP | | 15 | 8 | 25 |
| SP34 | 3/4" BSP | | 20 | 9 | 5 |
| SP01 | 1" BSP | | 26 | 10 | 5 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |