









ART. 201 Raccordo diritto maschio conico
Taper straight male adaptor

CODICE	ØD	A	B	L			
2010418	4	G _{1/8}	8	27	10	11	100
2010618	6	G _{1/8}	8	28	12	11	100
2010614	6	G _{1/4}	11	31,5	12	14	100
2010818	8	G _{1/8}	8	29,5	14	12	100
2010814	8	G _{1/4}	11	33	14	14	100
2010838	8	G _{3/8}	11	34	14	17	50
2011014	10	G _{1/4}	11	33	17	16	50
2011038	10	G _{3/8}	11,5	38	19	17	50
2011012	10	G _{1/2}	14	36,5	17	22	25
2011238	12	G _{3/8}	11,5	33,5	19	17	25
2011212	12	G _{1/2}	14	36,5	19	22	25
2011412	14	G _{1/2}	14	40	22	22	25
2011512	15	G _{1/2}	14	41	24	22	25
2011612	16	G _{1/2}	14	45	30	24	10
2011812	18	G _{1/2}	14	45	32	26	10







ART. 201Z Raccordo diritto maschio cilindrico
Parallel straight male adaptor


CODICE	ØD	A	B	L			
201Z0418	4	G _{1/8}	6	25	10	14	100
201Z0618	6	G _{1/8}	6	26	12	14	100
201Z0818	8	G _{1/8}	6	27,5	14	14	100
201Z0814	8	G _{1/4}	8	30	14	17	50
201Z1014	10	G _{1/4}	8	34,5	19	17	50






ART. 202 Raccordo diritto femmina
Female straight adaptor


CODICE	ØD	A	B	L			
2020418	4	G _{1/8}	8	24,5	10	14	100
2020618	6	G _{1/8}	8	26	12	14	100
2020614	6	G _{1/4}	11	30,5	12	17	100
2020818	8	G _{1/8}	8	26,5	14	14	100
2020814	8	G _{1/4}	11	31	14	17	100
2020838	8	G _{3/8}	11,5	31	14	20	50
2021014	10	G _{1/4}	11	35,5	19	17	50
2021038	10	G _{3/8}	11,5	36,5	19	20	50









ART. 203 Raccordo diritto intermedio
Straight connector

CODICE	ØD	L				
2030400	4	35		10	10	50
2030600	6	36,5		12	12	50
2030800	8	38,5		12	12	50
2031000	10	47,5		19	17	25
2031200	12	50,5		22	19	25
2031400	14	55,5		27	24	10
2031500	15	55,5		27	24	10






ART. 204 Raccordo passaparete
Bulkhead adaptor




CODICE	ØD	L				
2040600	6	48		12	14	50
2040800	8	55		14	17	50
2041000	10	58		17	17	25
2041200	12	66		19	19	10
2041500	15	69,5		27	25	5




ART. 205 Raccordo ad L
Elbow male adaptor




CODICE	ØD	A	B	C	L				
2050418	4	G _{1/8}	7,5	16	21		10	9	100
2050618	6	G _{1/8}	7,5	16	23		12	10	100
2050614	6	G _{1/4}	11	20	24,5		12	11	100
2050818	8	G _{1/8}	7,5	17	24		14	11	100
2050814	8	G _{1/4}	11	20	24		14	11	100
2050838	8	G _{3/8}	11	26,5	32,5		14	14	50
2051014	10	G _{1/4}	11	23,5	32		19	13	50
2051038	10	G _{3/8}	11,5	24	32		19	13	50
2051012	10	G _{1/2}	14	30	33		17	17	25
2051238	12	G _{3/8}	11	26,5	33		19	14	25
2051212	12	G _{1/2}	14	30	33		19	17	25
2051412	14	G _{1/2}	14	30	39		22	17	25
2051512	15	G _{1/2}	14	30	37		24	17	10
2051612	16	G _{1/2}	14	31,5	39,5		30	19	10
2051812	18	G _{1/2}	14	34	44		32	22	10


ART. 206 Raccordo ad L intermedio Elbow connector

CODICE	ØD	L						
2060400	4	27				10	11	100
2060600	6	28				12	11	50
2060800	8	28,5				14	11	50
2061000	10	32				17	14	25
2061200	12	35				19	13	10
2061400	14	39				22	17	10
2061500	15	40				27	17	10







ART. 207 Raccordo a T centrale Centre male tee adaptor


CODICE	ØD	A	B	C	L				
2070418	4	G _{1/8}	8	16	42		10	9	100
2070618	6	G _{1/8}	8	16	46		12	9	50
2070614	6	G _{1/4}	11	20	48		12	11	50
2070818	8	G _{1/8}	8	17	48		14	11	50
2070814	8	G _{1/4}	11	20	48		14	11	25
2070838	8	G _{3/8}	11,5	24	54		14	13	25
2071014	10	G _{1/4}	11	23,5	64		19	13	25
2071038	10	G _{3/8}	11,5	24	64		19	13	25
2071238	12	G _{3/8}	11,5	25,5	69		22	15	20
2071212	12	G _{1/2}	14	28,5	69		22	15	20






ART. 208 Raccordo a T laterale Off-set male tee adaptor


CODICE	ØD	A	B	C	L				
2080418	4	G _{1/8}	8	22,5	38,5		10	9	100
2080618	6	G _{1/8}	8	23,5	39,5		12	9	100
2080614	6	G _{1/4}	11	25	45		12	10	50
2080818	8	G _{1/8}	8	26,5	46,5		14	12	50
2080814	8	G _{1/4}	11	28	47,5		14	10	25
2080838	8	G _{3/8}	11	34,5	58,5		14	13	25
2081014	10	G _{1/4}	11	30	53		17	12	25
2081038	10	G _{3/8}	11	34	60		17	13	25
2081238	12	G _{3/8}	11	34	60		19	13	20
2081212	12	G _{1/2}	14	36	64		19	17	20








ART. 209 Raccordo a T intermedio Tee connector

CODICE	ØD	C	L						
2090400	4	21	42				10	9	50
2090600	6	23	46				12	10	50
2090800	8	24	48				14	10	25
2091000	10	30	60				17	12	25
2091200	12	34	68				19	13	10




ART. 210 Dado Nut

CODICE	ØD	A						
2100400	4	M8x1					10	100
2100600	6	M10x1					12	100
2100800	8	M12x1					14	100
2101000	10	M16x1,5					19	100
2101200	12	M18x1,5					22	100
2101400	14	M22x1,5					27	50
2101500	15	M22x1,5					27	50
2101600	16	M24x1,5					30	10
2101800	18	M26x1,5					32	10




ART. 211 Ogiva Ogiva

CODICE	ØD						
2110400	4						100
2110600	6						100
2110800	8						100
2111000	10						100
2111200	12						100
2111400	14						100
2111500	15						100
2111600	16						100

ART. 212 Boccia di supporto Support bush

CODICE	ØD						
2120200	2						100
2120250	2,5						100
2120400	4						100
2120600	6						100
2120800	8						100
2121000	10						100
2121200	12						100



ART. 216 Raccordo ad L orientabile Single banjo body

CODICE	ØD	G	ØA	B	L		
2160418	4	G _{1/8}	9,8	14,5	24,5	10	50
2160618	6	G _{1/8}	9,8	14,5	26,5	12	50
2160614	6	G _{1/4}	13,2	14,5	28,5	12	50
2160818	8	G _{1/8}	9,8	14,5	25,5	14	50
2160814	8	G _{1/4}	13,2	14,5	28	14	50
2161014	10	G _{1/4}	13,3	14,5	32	17	25

